

September 6, 2011

SHEP WELD PLUS

CMC CONSTRUCTION SERVICES certifies the following LEED®-NC Credit Contribution information:

Contribution Information:

Existing Building Restoration or Rehab
MR Credit 5.1 and 5.2 - Regional Materials
IEQ Credit 4.11 and 4.2 - Indoor Low Emitting Materials

New Construction:

MR Credit 5.1 and 5.2 - Regional Materials
IEQ Credit 4.11 and 4.2 - Indoor Low Emitting Materials

REGIONAL MATERIALS:

Existing Building Restoration or Rehab:
For Projects within 500 miles of Dallas, Texas SHEP WELD PLUS should be considered 38% Regional Material. Properly most liquid bonding agents are only going to be limited regional materials. In addition to the bonding agent manufacturer having to be regional the resin manufacturer would also need to be local.

New Construction:

For Projects within 500 miles of Dallas, Texas SHEP WELD PLUS should be considered 38% Regional Material. Properly most liquid bonding agents are only going to be limited regional materials. In addition to the bonding agent manufacturer having to be regional the resin manufacturer would also need to be local.

VOC CONTENT:

Existing Building Restoration or Rehab:
SHEP WELD PLUS has a maximum VOC emission of 3.38 g/L when used as an interior surface bonder. When used as an integral admixture the emissions will be less

New Construction:

SHEP WELD PLUS has a maximum VOC emission of 3.38 g/L when used as an interior surface bonder. When used as an integral admixture the emissions will be less

Respectfully,
LEED Administrator
CMC Construction Services
Tel: 877-297-9111 ext 5495



LEED is a trademark of the U.S. Green Building Council

The information contained in this document is thought to be true by CMC Construction Services. It is not a guarantee or a statement of the USGBC. All information should be confirmed with your project's LEED Administrator.